

Attachment VIII

Attachment VIII – Bibliography for Original 165 Articles

1. A new concept for orthodontic therapy; pulsed electromagnetic fields to modify cell behavior in bone growth. *Taehan Chikkwa Uisa Hyophoe Chi.* 1988 May; 26(5):441-56.
2. Aaron, R.K.; Ciombor, D.M., and Jolly, G. Stimulation of experimental endochondral ossification by low-energy pulsing electromagnetic fields. *J Bone Miner Res.* 1989 Apr; 4(2):227-33.
3. Abeed, R.I.; Naseer, M., and Abel, E.W. Capacitively coupled electrical stimulation treatment: results from patients with failed long bone fracture unions. *J Orthop Trauma.* 1998 Sep-Oct; 12(7):510-3.
4. Adams, B.D.; Frykman, G.K., and Taleisnik, J. Treatment of scaphoid nonunion with casting and pulsed electromagnetic fields: a study continuation. *J Hand Surg [AM].* 1992 Sep; 17(5) 910-4.
5. Albertini, A.; Zucchini, P.; Noera, G.; Cadossi, R.; Napoleone, C.P., and Pierangeli, A. Protective effect of low frequency low energy pulsing electromagnetic fields on acute experimental myocardial infarcts in rats. *Bioelectromagnetics.* 1999 Sep; 20(6):372-7.
6. Alexa, O. [The effects of different types of pulsed electromagnetic fields on fibroblast cell cultures]. *Rev Med Chir Soc Med Na Iasi.* 1998 Jul-Dec; 102(3-4):157-60.
7. Auer, J.A.; Burch, G.E., and Hall, P. Review of pulsing electromagnetic field therapy and its possible application to horses. *Equine Vet J.* 1993 Oct; 15(4):354-60.
8. Barclay, V.; Collier, R.J., and Jones, A. Treatment of various hand injuries by pulsed electromagnetic energy (Diapulse). *Physiotherapy.* 1983 Jun; 69(6):186-8.
9. Barker, A.T. and Dixon, R.A. Pulsed electromagnetic fields. *J Bone Joint Surg Br.* 1991 Mar; 73(2):352-4.
10. Bassett, C.A. A conversation with C. Andrew L. Bassett, MD. Pulsed electromagnetic fields, a noninvasive therapeutic modality for fracture nonunion. *Orthop Rev.* 1986 Dec; 15(12):781-95.
11. The development and application of pulsed electromagnetic fields (PEMFs) for ununited fractures and arthrodeses. *Orthop Clin North Am.* 1984 Jan; 15(1):61-87.
12. Fundamental and practical aspects of therapeutic uses of pulsed electromagnetic fields (PEMFs). *Crit Rev Biomed Eng.* 1989; 17(5):451-529.
13. Low energy pulsing electromagnetic fields modify biomedical processes. *Bioessays.* 1987 Jan; 6(1):36-42

14. Pulsing electromagnetic fields: a new method to modify cell behavior in calcified and noncalcified tissues. *Calcif Tissue Int.* 1982 Jan; 34(1):1-8.
15. Pulsing electromagnetic fields: a nonoperative method to produce bony union. *Instr Course Lect.* 1982; 31:88-94.
16. Bassett, C.A.; Caulo, N., and Kort, J. Congenital "pseudarthroses" of the tibia: treatment with pulsing electromagnetic fields. *Clin Orthop.* 1981 Jan-Feb; (154):136-148.
17. Bassett, C.A.; Mitchell, S.N., and Gaston, S.R. Pulsing electromagnetic field treatment in ununited fractures and failed arthrodeses. *JAMA.* 1982 Feb; 247(5):623-8.
18. Treatment of ununited tibial diaphyseal fractures with pulsing electromagnetic fields. *J Bone Joint Surg Am.* 1981 Apr; 63(4):511-23.
19. Bassett, C.A.; Mitchell, S.N.; Norton, L., and Pilla, A. Repair of non-unions by pulsing electromagnetic fields. *Acta Orthop Belg.* 1978 Sep-Oct; 44(5):706-24.
20. Bassett, C.A.; Mitchell, S.N., and Schink, M.M. Treatment of therapeutically resistant non-unions with bone grafts and pulsing electromagnetic fields. *J Bone Joint Surg Am.* 1982 Oct; 64(8):1214-20.
21. Bassett, C.A.; Pilla A.A., and Pawluk, R.J. A non-operative salvage of surgically-resistant pseudarthroses and non-unions by pulsing electromagnetic fields. A preliminary report. *Clin Orthop.* 1977 May; (124):128-43.
22. Bassett, C.A. and Schink-Ascani, M. Long-term pulsed electromagnetic field (PEMF) results in congenital pseudarthrosis. *Calcif Tissue Int.* 1991 Sep; 49(3):216-20.
23. Bassett, C.A.; Valdes, M.G., and Hernandez, E. Modification of fracture repair with selected pulsing electromagnetic fields. *J Bone Joint Surg Am.* 1982 Jul; 64(6):888-95.
24. Begue-Simon, A.M. and Drolet, R.A. Clinical assessment of the RHUMART system based on the use of Pulsed Electromagnetic Fields with low frequency. *Int J Rehabil Res.* 1993 Dec; 16(4):323-7.
25. Benazzo, F.; Mosconi, M.; Beccarisi,G., and Galli, U. Use of capacitive coupled electric fields in stress fractures in athletes. *Clin Orthop.* 1995 Jan; (310):145-9.
26. Bigliani, L.U.; Rosenwasser, M.P.; Caulo, N.; Schink, M.M., and Bassett, C.A. The use of pulsing electromagnetic fields to achieve arthrodesis of the knee following failed total knee arthroplasty. A preliminary report. *J Bone Joint Surg Am.* 1983 Apr; 65(4):480-5.

27. Binder, A.; Parr, G.; Hazleman, B., and Fitton-Jackson, S. Pulsed electromagnetic field therapy of persistent rotator cuff tendinitis. A double blind controlled assessment. *Lancet.* 1984 Mar; 1(8379):695-8.
28. Blandino, V.P. Pulsed electromagnetic energy in general practice. *J La State Med Soc.* 1967 Mar; 119(3):109-14.
29. Boening, K.J. [Treatment of a navicular bone fracture in a horse with pulsing electromagnetic field (MF therapy)]. *Tierarztl Prax.* 1983; 11(4):483-6.
30. Boeuf, J.P. and Pitchford, L.C. Two-dimensional model of a capacitively coupled rf discharge and comparisons with experiments in the Gaseous Electronics Conference reference reactor. *PHYSICAL REVIEW. E. STATISTICAL PHYSICS, PLASMAS, FLUIDS, AND RELATED INTERDISCIPLINARY TOPICS.* 1995 Feb; 51(2):1376-1390.
31. Bogutskii, B.V.; Konko, A.I.; Baronenko, V.A., and Belov, V.P. [Effect of pulsed electromagnetic fields of atmospheric origin on arterial pressure in experimental animals]. *Vopr Kurortol Fizioter Lech Fiz Kult.* 1968 Mar-Apr; 33(2):132-5.
32. Bose, B. Outcomes after posterolateral lumbar fusion with instrumentation in patients treated with adjunctive pulsed electromagnetic field stimulation . *Adv Ther.* 2001 Jan-Feb; 18(1):12-20.
33. Braun, G.S. Pulsed electromagnetic energy: a new therapeutic modality in podiatry. Six month clinical evaluation. *J Am Podiatry Assoc.* 1965 Oct; 55(10):700-5.
34. Bray, T.J. A prospective, double-blind trial of electrical capacitive coupling in the treatment of non-union of long bones. *J Bone Joint Surg Am.* 1995 May; 77(5):809.
35. Brighton, C.T.; Hozack, W.J.; Brager, M.D.; Windsor, R.E.; Pollack, S.R.; Vresloovic, E.J., and Kotwick J.E. Fracture healing in the rabbit fibula when subjected to various capacitively coupled electrical fields. *J. Orthop Res.* 1985; 3(3):331-40.
36. Brighton, C.T.; Luessenhop, C.P.; Pollack, S.R.; Steinberg, D.R.; Petrik, M.E., and Kaplan, F.S. Treatment of castration-induced osteoporosis by a capacitively coupled electrical signal in rat vertebrae. *J Bone Joint Surg Am.* 1989 Feb; 71(2):228-36.
37. Brighton, C.T.; Nichols, C.E. 3rd, and Arangio, G.A. Amelioration of oxygen-induced osteoporosis in the in vitro fetal rat tibia with a capacitively coupled electrical field. *J Orthop Res.* 1985; 3(3):311-20.
38. Brighton, C.T.; Pfeffer, G.B., and Pollack, S.R. In vivo growth plate stimulation in various capacitively coupled electrical fields. *J Orthop Res.* 1983; 1(1):42-9.
39. Brighton, C.T. and Pollack, S.R. Treatment of nonunion of the tibia with a capacitively coupled electrical field. *J Trauma.* 1984 Feb; 24(2):153-5.

BLANK

40. Treatment of recalcitrant non-union with a capacitively coupled electrical field. A preliminary report. *J Bone Joint Surg Am.* 1985 Apr; 67(4):577-85.
41. Brighton, C.T.; Shaman, P.; Heppenstall, R.B.; Esterhai, J.L. Jr; Pollack, S.R., and Friedenberg, Z.B. Tibial nonunion treated with direct current, capacitive coupling, or bone graft. *Clin Orthop.* 1995 Dec; (321):223-34.
42. Brighton, C.T.; Tadduni, G.T.; Goll, S.R., and Pollack, S.R. Treatment of denervation/disuse osteoporosis in the rat with a capacitively coupled electrical signal: effects on bone formation and bone resorption. *J Orthop Res.* 1988; 6(5):676-84.
43. Brighton, C.T.; Tadduni, G.T., and Pollack, S.R. Treatment of sciatic denervation disuse osteoporosis in the rat tibia with capacitively coupled electrical stimulation. Dose response and duty cycle. *J Bone Joint Surg Am.* 1985 Sep; 67(7):1022-8.
44. Cakirgil, G.S.; Saplakoglu, A., and Yazar, T. The compared effect of a four-coiled system in pulsed electromagnetic field stimulation. *Orthopedics.* 1989 Nov; 12(11):1481-4.
45. Caullay, J.M. and Mann, T.S. Pulsing electromagnetic fields in the treatment of non-union of fractures. *J R Coll Surg Edinb.* 1982 Mar; 27(2):102-7.
46. Chang, K., and Chang, W.H. Pulsed electromagnetic fields prevent osteoporosis in an ovariectomized female rat model: a prostaglandin E2-associated process. *Bioelectromagnetics.* 2003 Apr; 24(3):189-98.
47. Chen, Q. [Effect of pulsed electromagnetic field on orthodontic tooth movement through transmission electromicroscopy]. *Zhonghua Kou Qiang Yi Xue Za Zhi.* 1991 Jan; 26(1):7-10.
48. Chen, N.; Van Hoof, H.; Delport P.H.; Hoogmartens, M.J., and Mulier, J.C. Treatment of non-union, congenital pseudarthroses and benign cystic lesions using pulsed electromagnetic fields. *Reconstr Surg Traumatol.* 1985; 19:118-22.
49. Colson, D.J.; Browett, J.P.; Fiddian, N.J., and Watson, B. Treatment of delayed- and non-union of fractures using pulsed electromagnetic fields. *J Biomed Eng.* 1988 Jul; 10(4):301-4.
50. Cossarizza, A.; Angioni, S.; Petraglia, F.; Genazzani, A.R.; Monti, D.; Capri, M.; Bersani, F.; Cadossi, R., and Franceschi, C. Exposure to low frequency pulsed electromagnetic fields increases interleukin-1 and interleukin-6 production by human peripheral blood mononuclear cells. *Exp Cell Res.* 1993 Feb; 204(2):385-7.
51. Cossarizza, A.; Monti, D.; Bersani, F.; Cantini, M.; Cadossi, R.; Sacchi, A., and Franceschi, C. Extremely low frequency pulsed electromagnetic fields increase cell proliferation in lymphocytes from young and aged subjects. *Biochem Biophys Res Commun.* 1989 Apr; 160(2):692-8.

52. Cossarizza, A.; Monti, D.; Bersani, F.; Paganelli, R.; Montagnani, G.; Cadossi, R.; Cantini M., and Franceschi, C. Extremely low frequency pulsed electromagnetic fields increase interleukin-2 (IL-2) utilization and IL-2 receptor expression in mitogen-stimulated human lymphocytes from old subjects. *FEBS Lett.* 1989 May; 248(1-2):141-4.
53. Cruess, R.L.; Kan, K., and Bassett, C.A. The effect of pulsing electromagnetic fields on bone metabolism in experimental disuse osteoporosis. *Clin Orthop.* 1983 Mar; (173):245-50.
54. Darendeliler, M.A.; Darendeliler, A., and Sinclair, P.M. Effectis of static magnetic and pulsed electromagnetic fields on bone healing. *Int J Adult Orthodon Orthognath Surg.* 1997; 12(1):43-53.
55. Darendeliler, M.A.; Sinclair, P.M., and Kusy, R.P. The effects of samarium-cobalt magnets and pulsed electromagnetic fields on tooth movement. *Am J Orthod Dentofacial Orthop.* 1995 Jun; 107(6):578-88.
56. Das Sarkar, S. and Bassett, C.A. Healing of nonunion of a fractured lateral condyle of the humerus by pulsing electromagnetic induction. *Contemp Orthop.* 1991 Jan; 22(1):47-51.
57. De Loecker, W.; Delport, P.H., and Cheng, N. Effects of pulsed electromagnetic fields on rat skin metabolism. *Biochim Biophys Acta.* 1989 Jun; 982(1):9-14.
58. De Mattei, M.; Caruso, A.; Pezzetti, F., Pellati, A.; Stabellini, G.; Sollazzo, V., and Traina, G.C. Effects of pulsed electromagnetic fields on human articular chondrocyte proliferation. *Connect Tissue Res.* 2001; 42(4):269-79.
59. Delima, D. F. and Tanna, D.D. Role of pulsed electromagnetic fields in recalcitrant non-unions. *J Postgrad Med.* 1989 Jan; 35(1):43-8.
60. Devereaux, M.D.; Hazleman, B.L., and Thomas, P.P. Chronic lateral humeral epicondylitis—a double blind controlled assessment of pulsed electromagnetic field therapy. *Clin Exp Rheumatol.* 1985 Oct-Dec; 3(4):333-6.
61. Dhawan, S.K.; Conti, S.F.; Towers, J.; Abidi, N.A., and Vogt, M. The effect of pulsed electromagnetic fields on hindfoot arthrodesis: a prospective study. *J Foot Ankle Surg.* 2004 Mar-Apr; 43(2):93-6.
62. Di Silvestre, M. and Savini, R. Pulsing electromagnetic fields (PEMFs) in spinal fusion: preliminary clinical results. *Chir Organi Mov.* 1992 Jul-Sep; 77(3):289-94.
63. Eftekhar, N.S.; Schink-Ascani, M.N.; Mitchell, S.N., and Bassett, C.A. Osteonecrosis of the femoral head treated by pulsed electromagnetic fields (PEMFs): a preliminary report. *Hip.* 1983; :306-30.

64. Eyres, K.S.; Saleh, M., and Kanis, J.A. Effect of pulsed electromagnetic fields on bone formation and bone loss during limb lengthening. *Bone.* 1996 Jun; 18(6):505-9.
65. Fenn, J.E. Effect of pulsed electromagnetic energy (Diapulse) on experimental hematomas. *Can Med Assoc J.* 1969 Feb; 100(5):251-4.
66. Fini, M.; Cadossi, R.; Cane, V.; Cavani, F.; Giavaresi, G.; Krajewski, A.; Martini L.; Aldini, N.N; Ravaglioli, A.; Rimondini, L.; Torricelli, P., and Giardino, R. The effect of pulsed electromagnetic fields on the osteointegration of hydroxyapatite implants in cancellous bone: a morphologic and microstructural in vivo study. *J Orthop Res.* 2002 Jul; 20(4):756-63.
67. Foley-Nolan, D.; Moore, K.; Codd, M.; Barry, C.; O'Connor, P., and Coughlan, R.J. Low energy high frequency pulsed electromagnetic therapy for acute whiplash injuries. A double-blind randomized controlled study. *Scand J Rehabil Med.* 1992; 24(1):51-9.
68. Fontanesi, G.; Giancecchi, F.; Rotini, R., and Cadossi, R. Treatment of delayed union and pseudarthrosis by low frequency pulsing electromagnetic stimulation. Study of 35 cases. *Ital J Orthop Traumatol.* 1983 Sep; 9(3):305-18.
69. Fredericks, D.C.; Nepola, J.V.; Baker, J.T.; Abbott, J., and Simon, B. Effects of pulsed electromagnetic fields on bone healing in a rabbit tibial osteotomy model. *J Orthop Trauma.* 2000 Feb; 14(2):93-100.
70. Fritzell, P.; Hagg, O.; Jonsson, D., and Nordwall, A. Cost-effectiveness of lumbar fusion and nonsurgical treatment for chronic low back pain in the Swedish Lumbar Spine Study: a multicenter, randomized, controlled trial from the Swedish Lumbar Spine Study Group. *Spine.* 2004 Feb; 29(4):421-34.
71. Fritzell, P.; Hagg, O.; Wessberg, P., and Nordwall, A. 2001 Volvo Award Winner in Clinical Studies: Lumbar fusion versus nonsurgical treatment for chronic low back pain: a multicenter randomized controlled trial from the Swedish Lumbar Spine Study Group. *Spine.* 2001 Dec; 26(23):2521-32.
72. Frykman, G.K.; Taleisnik, J.; Peters, G.; Kaufman, R.; Helal, B.; Wood V.E., and Unsell, R.S. Treatment of nonunited scaphoid fractures by pulsed electromagnetic field and cast. *J Hand Surg [Am].* 1986 May; 11(3):344-9.
73. Ganguly, K.S.; Sarkar, A.K.; Datta, A.K., and Rakshit, A. A study of the effects of pulsed electromagnetic field therapy with respect to serological grouping in rheumatoid arthritis. *J Indian Med Assoc.* 1998 Sep; 96(9):272-5.
74. Ghossaini, S.N.; Spitzer, J.B.; Mackins, C.C.; Zschommier, A.; Diamond, B.E., and Wazen, J.J. High-frequency pulsed electromagnetic energy in tinnitus treatment. *Laryngoscope.* 2004 Mar; 114(3):495-500.

75. Glassman, L.S.; McGrath, M.H., and Bassett, C.A. Effect of external pulsing electromagnetic fields on the healing of soft tissue. *Ann Plat Surg.* 1986 Apr; 16(4):287-95.
76. Godley, D.R. Nonunited carpal scaphoid fracture in a child: treatment with pulsed electromagnetic field stimulation. *Orthopedics.* 1997 Aug; 20(8):718-9.
77. Goodman, R.; Bassett, C.A., and Henderson, A.S. Pulsing electromagnetic fields induce cellular transcription. *Science.* 1983 Jun; 220(4603):1283-5.
78. Goodwin, C.B.; Brighton, C.T.; Guyer, R.D.; Johnson, J.R.; Light, K.I., and Yuan, H.A. A double-blind study of capacitively coupled electrical stimulations as an adjunct to lumbar spinal fusions. *Spine.* 1999 Jul; 24(13):1349-56.
79. Gossling, H.R.; Bernstein, R.A., and Abbott, J. Treatment of ununited tibial fractures: a comparison of surgery and pulsed electromagnetic fields (PEMF). *Orthopedics.* 1992 Jun; 15(6):711-9.
80. Greenough, C.G. The effects of pulsed electromagnetic fields on blood vessel growth in the rabbit ear chamber. *J Orthop Res.* 1992 Mar; 10(2):256-62.
81. Guerkov, H.H.; Lohmann, C.H.; Liu, Y.; Dean, D.D.; Simon, B.J.; Heckman, J.D.; Schwartz, Z., and Boyan, B.D. Pulsed electromagnetic fields increase growth factor release by nonunion cells. *Clin Orthop.* 2001 Mar; (384):265-79.
82. Guizzardi, S.; Di Silvestre, M.; Govoni, P., and Scandroglio, R. Pulsed electromagnetic field stimulation on posterior spinal fusions: a histological study in rats. *J Spinal Disord.* 1994 Feb; 7(1):36-40.
83. Guizzardi, S.; Di Silvestre, M.; Govoni, P.; Strocchi, R., and Scandroglio, R. [Effects of pulsing electromagnetic fields (PEMF) on the source of vertebral fusion callus. A histological study]. *Acta Biomed Ateneo Parmense.* 1990; 61(5-6):227-35.
84. Gupta, T.D.; Jain, V.K., and Tandon, P.N. Comparative study of bone growth by pulsed electromagnetic fields. *Med Biol Eng Comput.* 1991 Mar; 29(2):113-20.
85. Hambly, M.F. and Mooney, V. Effect of smoking and pulsed electromagnetic fields on intradiscal pH in rabbits. *Spine.* 1992 June; 17(6 Suppl):S83-5.
86. Harrison, M.H. and Bassett, C.A. Use of pulsed electromagnetic fields in Perthes disease: report of a pilot study. *J. Pediatr Orthop.* 1984 Sep; 4(5):579-84.
87. Heckman, J.D.; Ingram, A.J.; Loyd, R.D.; Luch, J.V. Jr., and Mayer, P.W. Nonunion treatment with pulsed electromagnetic fields. *Clin Orthop.* 1981 Nov-Dec; (161):58-66.

88. Hinsenkamp, J.; Chiabrera, A.; Ryaby, J.; Pilla, A.A., and Bassett, C.A. Cell behaviour and DNA modification in pulsing electromagnetic fields. *Acta OIrthop Belg.* 1978 Sep-Oct; 44(5):636-50.
89. Hinsenkamp, M.; Ryaby, J., and Burny, F. Treatment of non-union by pulsing electromagnetic field: European multicenter study of 308 cases. *Reconstr Surg Traumatol.* 1985; 19:147-51.
90. Hirata M.; Kusuzaki, K.; Takeshita, H.; Hashiguchi, S.; Hirasawa Y., and Ashihara, T. Drug resistance modification using pulsing electromagnetic field stimulation for multidrug resistant mouse osteosarcoma cell line. *Anticancer Res.* 2001 Jan-Feb; 21(1A):317-20.
91. Holmes, G.B. Jr. Treatment of delayed unions and nonunions of the proximal fifth metatarsal with pulsed electromagnetic fields. *Foot Ankle Int.* 1994 Oct; 15(10):522-6.
92. Iannacone, W.M.; Pienkowski, D.; Pollack, S.R., and Brighton, C.T. Pulsing electromagnetic field stimulation of the in vitro growth plate. *J Orthop Res.* 1988; 6(2):239-47.
93. Ieran, M.; Zaffuto, S.; Bagnacani, M.; Annovi, M.; Moratti, A., and Cadossi, R. Effect of low frequency pulsing electromagnetic fields on skin ulcers of venous origin in humans: a double-blind study. *J Orthop Res.* 1990 Mar; 8(2):276-82.
94. Inoue, N.; Ohnishi, I.; Chen, D; Deitz, L.W.; Schwardt, J.D., and Chao, E.Y. Effect of pulsed electromagnetic fields (PEMF) on late-phase osteotomy gap healing in a canine tibial model. *J Orthop Res.* 2002. Sep; 20(5):1106-14.
95. Irvine, R.D. Pulsing electromagnetic field treatment. *JAMA.* 1982 Aug; 248(8):921.
96. Ito, H. and Bassett, C.A. Effect of weak, pulsing electromagnetic fields on neural regeneration in the rat. *Clin Orthop.* 1983 Dec; (181):283-90.
97. Ito, H. and Shirai, Y. The efficacy of ununited tibial fracture treatment using pulsing electromagnetic fields: relation to biological activity on nonunion bone ends. *J Nippon Med Sch.* 2001 Apr; 68(2):149-53.
98. Ito, H.; Shirai, Y., and Gembun Y. A case of congenital pseudarthrosis of the tibia treated with pulsing electromagnetic fields. 17-year follow-up. *J Nippon Med Sch.* 2000 Jun; 67(3):198-201.
99. Ito, M.; Fay, L.A.; Ito, Y.; Yuan, M.R.; Edwards, W.T., and Yuan, H.A. The effect of pulsed electromagnetic fields on instrumented posterolateral spinal fusion and device-related stress shielding. *Spine.* 1997 Feb; 22(4):382-8.

100. Jankauskiene, J.; Paunksnis, A.; Bluziene, A., and Saulgozis, J. The effect of pulsed electromagnetic field on patients with endocrine ophthalmopathy. *Eur J Ophthalmol.* 1998 Oct-Dec; 8(4):253-7.
101. Jenis, L.G.; An, H.S.; Stein, R., and Young, B. Prospective comparison of the effect of direct current electrical stimulation and pulsed electromagnetic fields on instrumented posterolateral lumbar arthrodesis. *J Spinal Disord.* 2000 Aug; 13(4):290-6.
102. Jorgensen, W.A.; Frome, B.M., and Wallach, C. Electrochemical Therapy of pelvic pain: effects of pulsed electromagnetic fields (PEMF) on tissue trauma. *Eur J Surg Suppl.* 1994; (574):83-6.
103. Kennedy, W.F.; Roberts, C.G.; Zuege, R.C., and Dicus, W.T. Use of pulsed electromagnetic fields in treatment of loosened cemented hip prosthesis. A double-blind trial. *Clin Orthop.* 1993 Jan; (286):198-205.
104. Kold, S.E.; Hickman, J., and Meisen, F. Preliminary study of quantitative aspects and the effects of pulsed electromagnetic field treatment on the incorporation of equine cancellous bone grafts. *Equine Vet J.* 1987 Mar; 19(2):120-4.
105. Konrad, K.; Sevcic, K.; Foldes, K.; Piroska, E., and Molnar, E. Therapy with pulsed electromagnetic fields in aseptic loosening of total hip prostheses: a prospective study. *Clin Rheumatol.* 1996 Jul; 15(4):325-8.
106. Kort, J.S.; Schink, M.M.; Mitchell, S.N., and Bassett, C.A. Congenital pseudoarthrosis of the tibia: treatment with pulsing electromagnetic fields. *Clin Orthop.* 1982 May; (165):124-37.
107. Landesman, R.H. and Douglas, W.S. Abnormal limb regeneration in adult newts exposed to a pulsed electromagnetic field. *Teratology.* 1990 Aug; 42(2):137-45.
108. Lappin, M.S.; Lawrie, F.W.; Richards, T.L., and Kramer, E.D. Effects of a pulsed electromagnetic therapy on multiple sclerosis fatigue and quality of life: a double-blind, placebo controlled trial. *Altern Ther Health Med.* 2003 Jul-Aug; 9(4):38-48.
109. Lin, Y.; Nishimura, R.; Nozaki, K.; Sasaki, N.; Kadosawa, T.; Goto, N.; Date, M., and Takeuchi, A. Effects of pulsing electromagnetic fields on the ligament healing in rabbits. *J Vet Med Sci.* 1992 Oct; 54(5):1017-22.
110. Linovitz, R.J.; Pathria, M.; Bernhardt, M.; Green, D.; Law, M.D.; McGuire, R.A.; Montesano, P.X.; Rechtine, G.; Salib, R.M.; Ryaby, J.T.; Faden, J.S.; Ponder, R.; Muenz, L.R.; Magee, F.P., and Garfin, S.A. Combined magnetic fields accelerate and increase spine fusion: a double-blind randomized, placebo controlled study. *Spine.* 2002 Jul; 27(13):1383-9.

111. Madronero, A. Influence of magnetic fields on calcium salts crystal formation: an explanation of the 'pulsed electromagnetic field' technique for bone healing. *J Biomed Eng.* 1990 Sep; 12(5):410-4.
112. Madronero, A.; Pitillas, I., and Manso, F.J. Pulsed electromagnetic field treatment failure in radius non-united fracture healing. *J Biomed Eng.* 1988 Oct; 10(5):463-6.
113. Marcer, M.; Musatti, G., and Bassett, C.A. Results of pulsed electromagnetic fields (PEMFs) in ununited fractures after external skeletal fixation. *Clin Orthop.* 1984 Nov; (190):260-5.
114. Marks, R.A. Spine fusion for discogenic low back pain: outcomes in patients treated with or without pulsed electromagnetic field stimulation. *Adv Ther.* 2000 Mar-Apr; 17(2):57-67.
115. Matsunaga, S.; Sakou, T., and Ijiri, K. Osteogenesis by pulsing electromagnetic fields (PEMFs): optimum stimulation setting. *In Vivo.* 1996 May-Jun; 10(3):351-6.
116. Mentes, B.B.; Tascilar, O.; Tatlicioglu, E.; Bor, M.V.; Isman, F.; Turkozkan, N., and Celebi, M. Influence of pulsed electromagnetic fields on healing of experimental colonic anastomosis. *Dis Colon Rectum.* 1996 Sept; 39(9): 1031-8.
117. Meskens,, M.W.; Stuyck, J.A.; Feys, H., and Mulier, J.C. Treatment of nonunion using pulsed electromagnetic fields: a retrospective follow-up study. *Acta Orthop Belg.* 1990; 56(2):483-3.
118. Meskens, M.W.; Stuyck, J.A., and Mulier, J.C. Treatment of delayed union and nonunion of the tibia by pulsed electromagnetic fields. A retrospective follow-up. *Bull Hosp Jt Dis Orthop Inst.* 1988 Fall; 48(2):170-5.
119. Mishima, S. The effect of long-term pulsing electromagnetic field stimulation on experimental osteoporosis of rats. *J UOEH.* 1988 Mar; 10(1):31-45.
120. Mooney, V. A randomized double-blind prospective study of the efficacy of pulsed electromagnetic fields for interbody lumbar fusions. *Spine.* 1990 Jul; 15(7):708-12.
121. Muhsin, A.U.; Islam, K.M.; Ahmed, A.M.; Islam, M.S.; Rabbani, K.D.; Rahman, S.M.; Ahmed, S., and Hossain, M. Effect of pulsed electromagnetic field on healing of experimental nonunion in rat tibiae. *Bangladesh Med Res Counc Bull.* 1991 Jun; 17(1):1-10.
122. Murray, J.C.; Lacy, M., and Jackson, S.F. Degradative pathways in cultured synovial fibroblasts: selective effects of pulsed electromagnetic fields. *J. Orthop Res.* 1988; 6(1):24-31.

123. Narita, T. [Nerve regeneration with pulsing electromagnetic field stimulation, with special reference to nerve conduction velocity]. *Nippon Ika Daigaku Zasshi*. 1986 Aug; 53(4):321-31.
124. Nishikawa, U. [Biological effects of pulsing electromagnetic fields (PEMFs) on ICR mice]. *Nippon Seikeigeka Gakkai Zasshi*. 1987 Dec; 61(12):1413-28.
125. Norton, L.A. Effects of a pulsed electromagnetic field on a mixed chondroblastic tissue culture. *Clin Orthop*. 1982 Jul; (167):280-90.
126. Pulsed electromagnetic field effects on chondroblast culture. *Reconstr Surg Traumatol*. 1985; 19:70-86.
127. O'Connor, B.T. Treatment of surgically resistant non-unions with pulsed electromagnetic fields. *Reconstr Surg Traumatol*. 1985; 19:123-32.
128. Orgel, M.G.; O'Brien, W.J., and Murray, H.M. Pulsing electromagnetic field therapy in nerve regeneration: an experimental study in the cat. *Plast Reconstr Surg*. 1984 Feb; 73(2):173-83.
129. Ozinskovich, V.V. [Use of a low-frequency pulsing electromagnetic field in treating inflammatory diseases of the ENT organs]. *Zh Ushn Nos Gorl Bolezn*. 1980 May-Jun (3):51-3.
130. Patino, O.; Grana, D.; Bolgiani,A.; Prezzavento, G.; Mino, J.; Merlo, A., and Benaim, F. Pulsed electromagnetic fields in experimental cutaneous wound healing in rats. *J Burn Care Rehabil*. 1996 Nov-Dec; 17(6 pt. 1):528-31.
131. Pezzetti, F.; De Mattei, M.; Caruso, A.; Cadossi, R.; Zucchini, P.; Carinici, F.; Traina, G.C., and Sollazzo, V. Effects of pulsed electromagnetic fields on human chondrocytes: an in vitro study. *Calcif Tissue Int*. 1990 Nov; 65(5):396-401.
132. Pfeiffer, K. Pulsed electromagnetic field therapy in the management of knee OA. *Ann Rheum Dis*. 2001 Jul; 60(7):717.
133. Poli, G.; Capelli, A.; Dal Monte, M., and Cadossi, R. [Treatment of congenital pseudarthrosis of the tibia with pulsing electromagnetic fields. Preliminary study]. *Chir Organi Mov*. 1982 Jan-Feb; 68(1):27-32.
134. Raji, A.M. An experimental study of the effects of pulsed electromagnetic field (Diapulse) on nerve repair. *J Hand Surg [Br]*. 1984 Jun; 9(2):105-12.
135. Raji, A.R. and Bowden, R.E. Effects of high peak pulsed electromagnetic fields on degeneration and regeneration of the common peroneal nerve in rats. *Lancet*. 1982 Aug; 2(8295):444-5.
136. Reddy, G.N.; Saha, S., and Tuai, G.L. A pulsed electromagnetic stimulator for bone-growth studies. *Med Instrum*. 1983 Sep-Oct; 17(5):347-50.
137. Ross, M.D. Pulsed electromagnetic energy and childbirth. *Lancet*. 1989 Aug; 2(8658):331.

138. Rubin, C.T; McLeod, K.J., and Lanyon, L.E. Prevention of osteoporosis by pulsed electromagnetic fields. *J Bone Joint Surg Am.* 1989 Mar; 71(3):411-7.
139. Salzberg, C.A.; Cooper-Vastola, S.A.; Perez, F.; Viehbeck, M.G., and Byrne, D.W. The effects of non-thermal pulsed electromagnetic energy on would healing of pressure ulcers in spinal cord-injured patients: a randomized, double-blind study. *Ostomy would Manage.* 1995 Apr; 41(3):42-4.
140. Satter Syed, A.; Islam, M.S.; Rabbani, K.S., and Talukder, M.S. Pulsed electromagnetic fields for the treatment of bone fractures. *Bangladesh Med Res Coun Bull.* 1999 Apr; 25(1):6-10.
141. Scott, G. and King, J.B. A prospective, double-blind trial of electrical capacitive coupling in the treatment of non-union of long bones. *J Bone Joint Surg Am.* 1994 Jun; 76(6):820-6.
142. Sedel, L.; Christel, P.; Duriez, J.; Duriez, R.; Evrard, J.; Ficat, C.; Cauchoux, J., and Witvoet, J. Results of non unions treatment by pulsed electromagnetic field stimulation. *Acta Orthop Scand Suppl.* 1982; 196:81-91.
143. Sharrard, W.J. A double-blind trial of pulsed electromagnetic fields for delayed union of tibial fractures. *J Bone Joint Surg Br.* 1990 May; 72(3):347-55.
144. Pulsed electromagnetic fields. *J Bone Joint Surg Br.* 1992 Jul; 74(4):630.
145. Treatment of congenital and infantile pseudarthrosis of the tibia with pulsing electromagnetic fields. *Orthop Clin North Am.* 1984 Jan; 15(1):143-62.
146. Sharrard, W.J.; Sutcliffe, M.L.; Robson, M.J., and Maceachern, A.G. The treatment of fibrous non-union of fractures by pulsing electromagnetic stimulation. *J Bone Joint Surg Br.* 1982; 64(2):189-93.
147. Sherman, R.A.; Robson, L., and Marden, L.A. Initial exploration of pulsing electromagnetic fields for treatment of migraine. *Headache.* 1998 Mar; 38(3):208-13.
148. Simmons, J.W. Treatment of failed posterior lumbar interbody fusion (PLIF) of the spine with pulsing electromagnetic fields. *Clin Orthoop.* 1985 Mar; (193):127-32.
149. Simmons, J.W. Jr; Mondy, V., and Thacker, I. Pseudarthrosis after lumbar spine fusion: nonoperative salvage with pulsed electromagnetic fields. *Am J Orthop.* 2004 Jan; 33(1):27-30.
150. Simonis, R.B.; Good, C., and Cowell, T.K. The treatment of non-union by pulsed electromagnetic fields combined with a Denham external fixator. *Injury.* 1984 Jan; 15(4):255-60.
151. Simske, S.J.; Wachtel, H., and Luttges, M.W. Effect of localized pulsed electromagnetic fields on tail-suspension osteopenia in growing mice. *Bioelectromagnetics.* 1991; 12(2):101-16.
152. Skerry, T.M.; Pead, M.J., and Lanyon, L.E. Modulation of bone loss during disuse by pulsed electromagnetic fields. *J Orthop Res.* 1991 Jul; 9(4):600-8.
153. Smith, R.L. and Nagel, D.A. Effects of pulsing electromagnetic fields on bone growth and articular cartilage. *Clin Orthop.* 1983 Dec; (181):277-82.

154. Stark, T.M. and Sinclair, P.M. Effect of pulsed electromagnetic fields on orthodontic tooth movement. *Am J Orthod Dentofacial Orthop.* 1987 Feb; 91(2):91-104.
155. Stiller, M.J.; Pak, G.H.; Shupack, J.L.; Thaler, S.; Kenny C., and Jondreau, L. A portable pulsed electromagnetic field (PEMF) device to enhance healing of recalcitrant venous ulcers: a double-blind, placebo-controlled clinical trial. *Br J Dermatol.* 1992 Aug; 127(2):147-54.
156. Sutcliffe, M.L. and Goldberg, A.A. The treatment of congenital pseudarthrosis of the tibia with pulsing electromagnetic fields. A survey of 52 cases. *Clin Orthop.* 1982 Jun; (166):45-57.
157. Tabrah, F.; Hoffmeier, M.; Gilbert, F. Jr; Batkin, S., and Bassett, C.A. Bone density changes in osteoporosis-prone women exposed to pulsed electromagnetic fields (PEMFs). *J Bone Miner Res.* 1990 May; 5(5):437-42.
158. Todd, D.J.; Heylings, D.J.; Allen, G.E., and McMillin, W.P. Treatment of chronic varicose ulcers with pulsed electromagnetic fields: a controlled pilot study. *Ir Med J.* 1991 Jun; 84(2):54-4.
159. Torricelli, P.; Fini, M.; Gioavaresi, G.; Botter, R.; Beruto D., and Giardino, R. Biomimetic PMMA-based bone substitutes: a comparative in vitro evaluation of the effects of pulsed electromagnetic field exposure. *J Biomed Mater Res.* 2003 Jan; 64A(1):182-8.
160. Trock D.H.; Bollet, A.J.; Dyer, R.H. Jr; Fielding, L.P.; Miner, W.K., and Markoll, R. A double-blind trial of the clinical effects of pulsed electromagnetic fields in osteoarthritis. *J Rheumatol.* 1993 Mar; 20(3):456-60.
161. Trock, D.H.; Bollet, A.J., and Markoll, R. The effect of pulsed electromagnetic fields in the treatment of osteoarthritis of the knee and cervical spine. Report of randomized, double blind, placebo controlled trials. *J Rheumatol.* 1994 Oct; 21(10):1903-11.
162. Turner, M.M. Pressure heating of electrons in capacitively coupled rf discharges. *PHYSICAL REVIEW LETTERS.* 1995 Aug; 75(7):1312-15.
163. Vingerling, P.A.; Bronckers, A.L.; Wolfgens, J.H., and de Groot, K. Tooth germs of *Mesocricetus auratus* cultured in a pulsing electromagnetic field. *Reconstr Surg Traumatol.* 1985; 19:93-7.
164. Wilmot, J.J.; Ciego, D.J. Jr; Carlson, D.S.; Hanks, C.T., and Moskwa, J.J. Autoradiographic study of the effects of pulsed electromagnetic fields on bone and cartilage growth in juvenile rats. *Arch Oral Biol.* 1993 Jan; 38(1):67-74.
165. Zhang, F.; Luo, E., and Zhang, H. [Fracture healing stimulator based on pulsed electromagnetic fields and its clinical application]. *Sheng Wu Yi Xue Gong Cheng Xue Za Zhi.* 1997 Mar; 14(1):95-7.